☐ MONITORS AND ENTRY PANELS



max max lite

COMPATIBLE WITH

HEARING IMPAIRED FUNCTION






Call forwarding on smartphone.

Integration with Yokis for electrical wiring system automation.

MONITOR Monitor

Max is the new latest generation 7" IP touch screen by Urmet. The thin and state-of-the-art display can be wall or flush mounted. The screen leverages **Sensitive Touch** technology to integrate innovative functions such as building automation control, appliance and video surveillance system management, proximity key scanning for facilitated access, audio and video call and messaging management directly from a smartphone through the Urmet **CallMe**.



COMPATIBLE WITH



urmel. 2020 GENERAL CATALOGUE

GENERAL

CALL FORWARDING

SALES NETWORK

REFERENCES

		IPERVO	IPERC(
1717/31 1717/41	 MAX IP 7" MONITOR (1717/31) AND MAX LITE IP 7" MONITOR (1717/41) Video doorphone and home automation controller on IP technology > White trim > Screen resolution: 1024x600 pixel > Complete video door phone functions with the chance to perform video calls between apartments; text messages between users; integrated video door phone answering machine with possibility to save 10" videos for each call > Input for panic alarm and floor call, output for repeat call; MUTE function with timing, audio memo function to record messages for other persons of the apartment > CCTV control function on IP cameras; micro SD slot for photo frames to load mp3 music; customisable ring tones and compatibility with mp3 music files 	•	•	
1717/32	MAX IP TERMINAL. 7" TFT. > Colour touch monitor for USA > White colour			


ADDITIONAL FUNCTIONS

	MAX 1717/31	MAX LITE 1717/41
Integrated camera	•	-
Video intercom call	•	-
Wi-Fi and 2° LAN	•	-
Smart home control	•	-
iUvs Plus and My1067+ preloaded App	•	-
Integrated Yokis management (8 radio channels and 4 scenarios)	٠	-
Integrated key reader	•	-
Yokis YnO App	•	-
iUVS plus App	•	-

ACCESSORIES

1717/61 FLUSH MOUNTING KIT FOR MAX 7" IP. To be used for Sch. 1717/31 and Sch. 1717/41 1717/52 TRANSPARENT PLEXIGLASS TABLE TOP STAND FOR MAX

FEATURES



- > 7" 16:9 touch-screen display
- > Suitable for surface wall mount or flush-mounted
- > User-friendly interface through icons on TFT display
- > CCTV control function on IP cameras
- > Dimensions: 208x134x19 mm 8.18x5.27x0.74 in (5 mm 0.19 in thickness in the flush-mounted version)



Opportunity to integrate Yokis modules. Yokis is a comprehensive range of digital micro-modules for electric system automation.